

Tytuł projektu
Rola odpowiedzi ścisłej w wzroście i rozwoju roślin uprawnych
Project title
Role of the stringent response in crop plants growth and development
Dyscyplina /Area of science
Nauki biologiczne/Biological Sciences
PROJECT DESCRIPTION
<p>Project goals</p> <ul style="list-style-type: none"> • To find out which developmental stages during plant growth are affected/regulated by the stringent response • To analyze whether changes in (p)ppGpp content always correlate with so far known (p)ppGpp-mediated changes in chloroplast functioning • To introduce the fluorescence in situ hybridization method for the purpose of the stringent response analysis • To find out plant growth stages that can be potentially regulated by means of agents controlling (p)ppGpp content <p>Outline</p> <p>The stringent response was found to take place in chloroplasts less than 20 years ago. The effectors of the response are guanosine tetraphosphate and guanosine pentaphosphate (ppGpp and pppGpp), unusual nucleotides jointly referred to as (p)ppGpp or magic spots. These effectors are synthesized by nucleus-encoded RSH proteins that are known to function in chloroplasts. The research work of the last four years has shown that (p)ppGpp inhibit chloroplast transcription (e.g. of rRNA, tRNA, genes encoding proteins involved in translation and photosynthesis), translation and the production of many metabolites. The molecular changes invoked upon the accumulation of (p)ppGpp eventually cause a decrease in the efficiency of photosynthesis and the reduction of plant growth. However, still, the stages of plant development that are being affected with/regulated by those nucleotides are not known (reviewed in Boniecka et al., 2017, <i>Planta</i> 246:817-842).</p> <p>The aim of the project is to elucidate the role of the stringent response in plant development, in particular of rapeseed (<i>Brassica napus</i> L.), as it is an important crop plant belonging to the same family as the model plant <i>Arabidopsis thaliana</i>, and its genome has been sequenced. We assume, based on our research (Boniecka et al., 2019, <i>Ind Crops and Prod</i> 130:478-490), that the stringent response is involved in seed development and maturation. Our hypothesis states that (p)ppGpp during late stages of plant development, by decreasing the efficiency of photosynthesis, bring seeds into a dormant state. Moreover, we believe that the stringent response might be involved in the regulation of other developmental processes, especially of those in which photosynthesis is strongly involved, such as rosette development or stem and flower formation.</p> <p>The project is very important both from the scientific as well as the economical point of view. It will help to elucidate the role of the phenomena of the stringent response and to unravel plant developmental stages at which, by the regulation of the activity of the stringent response, plant growth can be stimulated, e.g. with the use of synthetic (p)ppGpp analogues that can inhibit the response (Syal et al., 2017, <i>Antimicrob Agents Chemother</i> 61, e00443-17). Thus, the knowledge of the activity of the stringent response at particular stages of plant development can help to use the regulation of (p)ppGpp content as a tool to stimulate plant growth.</p>

Work plan

1. Rapeseed plants growth in a field experiment and plant sample collection at different phenological growth stages listed in the BBCH classification for *Brassica napus* L.: 0 – germination, 1 – leaf development, 3 – stem elongation, 5 – inflorescence emergence, 6 – flowering, 7 – development of fruit, 8 – ripening and 9 – senescence.

2. Analysis of *B. napus* *RSH* gene expression by means of qPCRs, at all mentioned stages of rapeseed development, and by means of *BnRSH* transcripts immunodetection. The latter analysis will be done both in vegetative and generative tissues of rapeseed plants being at 7–9th growth stages, as the stringent response might be involved in nutrient remobilization and reallocation from vegetative into generative tissues (reviewed in Boniecka et al., 2017, *Planta* 246:817-842).

Primers and qPCR conditions for checking *BnRSH* gene expression were already designed and assessed, respectively (Boniecka et al., manuscript in preparation). The immunodetection of *BnRSH* transcripts in plant tissues will be done using digoxigenine (DIG)-labelled probes, the anti-DIG primary antibody and the fluorochrome-conjugated secondary antibody. The probe hybridization followed by immunodetection will be performed with thin sections of samples embedded in BMM resin, prepared with the use of vibratome.

3. Measurements of (p)ppGpp content in plant tissues, using liquid chromatography in combination with tandem mass spectrometer (UHPLC-MS/MS) with quadrupole (mass analyzer) and electrospray (ESI; in collaboration with the Franciszek Górski Institute of Plant Physiology, Polish Academy of Sciences, Cracow, Poland; according to Boniecka et al., manuscript in preparation).

4. Analysis of particular chloroplast gene expression (qPCRs) and protein content (western blots), in accordance with the recently established protocols (Boniecka et al., manuscript in preparation).

Because the experiment will be conducted in the field, three years of sample collection followed by the mentioned analysis (3 biological replicates) have to be conducted.

Literature

Boniecka J, Prusińska J, Dąbrowska GB, Goc A (2017) *Within and beyond the stringent response—RSH and (p)ppGpp in plants*. *Planta* 246:817-842

Boniecka J, Kotowicz K, Skrzypek E, Dziurka K, Rewers M, Jędrzejczyk I, Wilmowicz E, Berdychowska J, Dąbrowska GB (2019) *Potential biochemical, genetic and molecular markers of deterioration advancement in seeds of oilseed rape (Brassica napus L.)*. *Industrial Crops and Products* 130:478-490

Prusińska JM, Boniecka J, Dąbrowska GB, Goc A (2019) *Identification and characterization of the I. nil RelA/SpoT Homologs (InRSHs) and potential directions of their transcriptional regulation*. *Plant Science* 284:161-176

Berdychowska J, Boniecka J, Dąbrowska GB (2019) *The stringent response and its involvement in the reactions of bacterial cells to stress*. *Adv Microbiol* 58:127-142

Required initial knowledge and skills of the PhD candidate

- ➔ Analytical thinking
- ➔ Eager to learn
- ➔ Open for challenging tasks
- ➔ Understanding of molecular biology techniques
- ➔ Understanding of basic chemistry, physics and biology/biotechnology
- ➔ Ready to go abroad for traineeship or study (Erasmus+ or other program)

➔ Eager to work hard

Zgłaszający projekt/ Author of the project

Dr hab. Grażyna Dąbrowska/
Dr Justyna Boniecka
stopień/tytuł, imię, nazwisko

browsk@umk.pl

jboniecka@umk.pl

e-mail

Wydział Biologii i Ochrony Środowiska UMK
jednostka organizacyjna

Proponowani promotorzy i mentorzy/prospective supervisors

1) promotor główny/ main supervisor

Dr hab. Grażyna Dąbrowska

e-mail : browsk@umk.pl

Wydział Biologii i Ochrony Środowiska UMK

jednostka organizacyjna

2) promotor pomocniczy / co-supervisor

Dr Justyna Boniecka